


# POTS Adapter

Convert your hard-to-maintain Plain Old Telephone System to **cost-effective VoLTE infrastructure**



## Made for Industrial Use

Compatible with alarms, elevators, and communications systems, the adapter can squeeze into any deployment without worry.

The POTS Adapter's low power consumption makes it suitable for solar powered deployments.



**Elevator Phones**




**Alarms connected to emergency services**



**Fax Machines**



**AutoDial Support**



**Door/Gate Intercoms**



**Roadside Call Boxes**



## InControl Remote Management

Track and manage the status of all your devices remotely, all from the same management system.

Automatically send email alerts to admins when device off line or changes to power supply are detected.

Receive Peplink support via remote assistance. No physical presence needed for troubleshooting.

## Minimal Power Consumption

Low power consumption translates to reduced operating costs and less heat generation, increasing the device's longevity and reliability.



125.7mm

## Built for Flexibility

The POTS Adapter is designed to be small, lightweight, and mountable on a DIN Rail. Connect an external antenna to maximize performance in secluded installs.

## Easily Scalable

Bring VoLTE to numerous deployments without breaking the bank.





## Flexible Power Options

Power the device via USB-C or 4-pin Molex depending on available resources on-site. Or use both at the same time for extra redundancy.




## Primary Benefit:

Easily Convert your Plain Old Telephone System (POTS) connections to LTE Cellular.

RTB#

### 1 Plug and Play

Drop in Peplink's POTS to Cellular Adapter to update your legacy analog phone line connections to cellular. Requires only a power source and cellular network signal.



RTB#

### 2 Certified for industrial and commercial applications


Alarm systems, elevators, remote door/gate systems and other legacy applications utilizing analog phone lines. Rugged, low power consumption and operates across wide temperature range.




RTB#

### 3 Reliable and cost effective

Deploys standalone, no additional network equipment or setup required. Complete central management and alerting through Peplink InControl2 reduces deployment and troubleshooting costs.





## Specifications

<b>WAN Interface</b>	1x LTE Embedded Cellular Modem	<b>Communication Protocols</b>	Contact ID Pulse 4/2 Voice: G.711, G.729, AMR, AMR-WB Fax: ITU-T.30, V.17, V.29, V.27ter, V.21
<b>Configuration Interface</b>	USB-C Port	<b>Power Consumption</b>	1.7W (nominal), 3.5W (max.)
<b>POTS line</b>	Up to 3 REN Line Load 55 V <sub>rms</sub> Ring Voltage 500ft Loop Length Support	<b>Dimension</b>	5.0 x 4.2 x 1.4 inches / 124 x 107 x 35 mm
<b>Antenna Connectors</b>	2x SMA Cellular Antenna Connectors	<b>Weight</b>	0.70 pound / 0.32kg
<b>Power Input</b>	Power Port: 9-16V DC USB-C Port: 5V DC	<b>Operating Temperature</b>	-22° – 149°F / -30° – 65°C
<b>Backup power by UPS <sup>1</sup></b>	3000 mAh UPS will ensure: - 24 Hours Standby Usage - 4 Hours Under Line Usage	<b>Humidity</b>	15% – 90% (non-condensing)
<b>Voice Features</b>	Audio notifications Call Forwarding (CFU/CFB/CFNRy/CFNRc) Call Hold Call Waiting 3-Way Conference CLIR per Call Speed Dial 8/30 Call Return Call Blocking Do Not Disturb Caller ID VMWI DTME	<b>Certifications</b>	FCC, RoHS
		<b>Package Content for POTS-ADP-LTE-US-T-PRM</b>	1x POTS Adapter 2x LTE Antennas 1x 12V 2A 4-Pin Power Supply (ACW-632)
		<b>Package Content for POTS-ADP-LTE-US-DC-T-PRM</b>	1x POTS Adapter 2x LTE Antennas 1x 10ft DC Power Cable (ACW-634)
		<b>SIM Option <sup>2</sup></b>	1x Nano-SIM (4FF)
		<b>Warranty</b>	1-Year Limited Warranty

<sup>1</sup> UPS is not included into packing list.  
<sup>2</sup> Data-only SIM is not supported.



## Ordering Information

**Product Code**

POTS-ADP-LTE-US-T-PRM

**Regions**

North America\*

\*US Carrier Certifications:  
Verizon, AT&T, T-Mobile, FirstNet

**LTE Bands**

B2, B4, B5, B12, B13, B14, B66, B71

POTS-ADP-LTE-US-DC-T-PRM

North America\*

\*US Carrier Certifications:  
Verizon, AT&T, T-Mobile, FirstNet

B2, B4, B5, B12, B13, B14, B66, B71

## Featured Add-on

**Product Code**

PRM-A-1Y / PCP-A-1Y

**Description**

PrimeCare A / PrimeCare+ A (1-Year)

PRM-A-2Y / PCP-A-2Y

PrimeCare A / PrimeCare+ A (2-Year)

PRM-A-4Y / PCP-A-4Y

PrimeCare A / PrimeCare+ A (4-Year)

ACW-634

10ft DC Power Cable

ACW-791

Peplink 4-Pin Molex to USB-C power cable

ACW-DIN-BR1-MINI

DIN Rail Mount Kit

ANT-MB-20G-S-B-6

Mobility 20G - 2x2 MIMO LTE/5G-Ready Cellular Antenna System with GPS (Black)

ANT-MB-20G-S-W-6

Mobility 20G - 2x2 MIMO LTE/5G-Ready Cellular Antenna System with GPS (White)